
## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 58 chsweetan, Seller ID AARI38VLTS2NK, ASIN B0CS69R6MB


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











| an opening   |  |
|--|--|
| in the floor   |  |
| wherein the fuel chamber portion is oriented to hold fuel, and | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for burning with a torch.  1 Add a few wood chips to the mesh cup. |
| wherein the conduit portion is disposed below the floor        | The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.  |





chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 59 DSKWR-USA, Seller ID A3RCE03RQ63T9V ASIN B0CT3QNL99


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











| on ononir a  |  |
|--|--|
| an opening   |  |
| in the floor   |  |
| wherein the fuel chamber portion is oriented to hold fuel, and | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for burning with a torch.  Add a small amount of Wood chips. |
| wherein the  | The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.  |
| conduit  |  |
| portion is   |  |
| disposed   |  |
| below the  |  |
|  |  |
| floor  |  |







so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture


that

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.






## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 60 Glwobal la, Seller ID A3DP1C0V3A07DX ASIN B0CPJSKCQ7


The primary elements of claim 1 (copied fully below in the left column of the chart) are:

- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion

There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.








| the fuel chamber portion comprising an upper wall portion defining a perimeter edge of the fuel chamber | The fuel chamber for the Cocktail Smoker has a wall. The wall defines a perimeter of the fuel chamber portion. The fuel chamber for the Drink Smoker has a floor of the fuel chamber portion that extends from the wall to an opening in the floor.   floor  Opening |
|---|--|
| chamber   | Opening  |
| portion and   | Opening  |
| a floor   |  |
| defining a  |  |
| bottom end,   | upper wall   |
| the floor   | SPF  |
| extending   |  |
| from the  |  |
| upper wall  |  |
| portion to  |  |
| an opening  |  |
| in the floor  |  |
| wherein the   | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront  |
| fuel<br>chamber   | page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for  |
| portion is  | burning with a torch.  |
| oriented to   |  |
| hold fuel,  |  |
| and   |  |
| unu   |  |



wherein the conduit portion is disposed below the floor The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.





smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.



Place wood chips fuel into chamber



Ignite the wood chips with a torch and create smoke



Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 61 Trained Ready & Armed, Seller ID A2TEX2ZO2EC0N7, ASIN B0C1HS1PZX


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











wherein the The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel fuel chamber for burning with a torch. chamber portion is oriented to hold fuel, STEP and 01 Place small amount of wood chips wherein the The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber. conduit portion is disposed below the

floor






extends from the channel space through a wall of the conduit portion The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.



Place wood chips fuel into chamber

Place small amount of wood chips




## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 63 Capiant, Seller ID A2T190QBUKO8PG, ASIN B0CR6H1SCN


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.












| an opening   |  |
|--------------|--|
| in the floor |  |
| wherein the  | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the   |
| fuel         | storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel |
| chamber      | chamber for burning with a torch.  |
| portion is   |  |
| oriented to  | All A  |
| hold fuel,   |  |
| and          |  |
| and          |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
| wherein the  | The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.                      |
| conduit      |  |
| portion is   |  |
| disposed     |  |
| below the    |  |
| floor        |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |
|              |  |



fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 63 Capiant, Seller ID A2T190QBUKO8PG, ASIN B0D1KFMMSS


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











| an opening   |   |
|--------------|---|
| in the floor |   |
| wherein the  | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the  |
| fuel         | storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel  |
| chamber      | chamber for burning with a torch.   |
| portion is   |   |
| oriented to  |   |
| hold fuel,   |   |
| and          |   |
| wherein the  | The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.   |
| conduit      | r and |
| portion is   |   |
| disposed     |   |
| below the    |   |
| floor        |   |
|              |   |
|              |   |
|              |   |
|              |   |
|              |   |
|              |   |
|              |   |




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 65 Sibosen, Seller ID A585L0L7O44AA, ASIN B0CQR9PY1L


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











| an opening in the floor wherein the fuel chamber portion is oriented to hold fuel, and | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for burning with a torch.  Prepare drink and add wood chips |
|--|---|
| wherein the<br>conduit<br>portion is<br>disposed<br>below the<br>floor                 | The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.   |





The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the portion ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the through at drinking glass. least one aperture that extends from the channel space through a wall of the conduit portion Kitchen lighter ignites Prepare drink and add wood chips Pull the lid on and shake the glass Smoke flows down, Ignite the wood not up, through the Place wood chips chips with a torch channel in the conduit fuel into chamber and create smoke and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 66 JAVLO, Seller ID A17BR4S62M9FE1, ASIN B0C8H87JMB


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion



Aperture

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.



Place wood chips fuel into chamber



Ignite the wood chips with a torch and create smoke

2.Ignite the wood chips with kitchen torch.



Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit

Cover the cocktail smoker with the wooden cover and wait a few seconds.


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 66 JAVLO, Seller ID A17BR4S62M9FE1, ASIN B0C8H91BTX


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.












fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.





Ignite the wood chips with a torch and create smoke

2.Ignite the wood chips with kitchen torch.



Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit

 Cover the cocktail smoker with the wooden cover and wait a few seconds.


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 67 LinearMarkets, Seller ID A1GNXMH70EDLEG ASIN B0CD933ZDJ


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.






## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 68 heyClub, Seller ID AO5AGEWLJ85VI, ASIN B0BRNGT7CW


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion

There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.








| edge of the fuel chamber portion and a floor defining a bottom end, the floor extending from the upper wall portion to an opening in the floor | Opening upper wall  |
|--|---|
| wherein the fuel chamber   | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for burning with a torch. |
| portion is   |   |
| oriented to  |   |
| hold fuel,   |   |
| and  |   |







smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.








## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 68 heyClub, Seller ID AO5AGEWLJ85VI, ASIN B0BTY2X4JF


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion

There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.








| the fuel     | The fuel chamber for the Cocktail Smoker has a wall. The wall defines a perimeter of the fuel chamber portion. The    |
|--------------|---|
| chamber      | fuel chamber for the Drink Smoker has a floor of the fuel chamber portion that extends from the wall to an opening in |
| portion      | the floor.  |
| comprising   |   |
| an upper     |   |
| wall         | floor   |
| portion      |   |
| defining a   |   |
| perimeter    |   |
| edge of the  | Opening   |
| fuel         | Opening   |
| chamber      |   |
| portion and  |   |
| a floor      |   |
| defining a   |   |
| bottom end,  | upper wall  |
| the floor    |   |
| extending    |   |
| from the     |   |
| upper wall   |   |
| portion to   |   |
| an opening   |   |
| in the floor |   |
| wherein the  | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the        |
| fuel         | storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel      |
| chamber      | chamber for burning with a torch.   |
| portion is   |   |
| oriented to  |   |
| hold fuel,   |   |
| and          |   |






smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.








## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 68 heyClub, Seller ID AO5AGEWLJ85VI, ASIN B0CLZPBZRN


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion

There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.








| the fuel     | The fuel chamber for the Cocktail Smoker has a wall. The wall defines a perimeter of the fuel chamber portion. The    |
|--------------|---|
| chamber      | fuel chamber for the Drink Smoker has a floor of the fuel chamber portion that extends from the wall to an opening in |
| portion      | the floor.  |
| comprising   |   |
| an upper     |   |
| wall         | floor   |
| portion      |   |
| defining a   |   |
| perimeter    |   |
| edge of the  | Opening   |
| fuel         | opening .   |
| chamber      |   |
| portion and  |   |
| a floor      |   |
| defining a   |   |
| bottom end,  | upper wall  |
| the floor    |   |
| extending    |   |
| from the     |   |
| upper wall   |   |
| portion to   |   |
| an opening   |   |
| in the floor |   |
| wherein the  | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the        |
| fuel         | storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel      |
| chamber      | chamber for burning with a torch.   |
| portion is   |   |
| oriented to  |   |
| hold fuel,   |   |
| and          |   |






smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.



Place wood chips fuel into chamber





## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 72 Meih-SU, Seller ID A3PX2TMV5WEZ9H ASIN B0CGVDYY22

The primary elements of claim 1 (copied fully below in the left column of the chart) are:

**Fuel Chamber Portion** 

**Conduit Portion** 


Floor


Channel


Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.














aperture
that
extends
from the
channel
space
through a
wall of the
conduit
portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.



Place wood chips fuel into chamber



Ignite the wood chips with a torch and create smoke



Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 73 Leikedun, Seller ID A2CT85FVKV6JMB ASIN B0CHLJD762


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











wherein the conduit portion is disposed below the floor The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.



fuel chamber



Conduit portion below floor of fuel chamber

and comprises a channel through the conduit portion The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.



so that, when the fuel in the fuel chamber portion is ignited, the The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:

channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture that extends from the channel space through a wall of the conduit portion



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.



Place wood chips fuel into chamber



Ignite the wood chips with a torch and create smoke



Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 74 Torched Cocktails, Seller ID A3P5Y93E1RD55K ASIN B0BMW8MRHX


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.












| an opening   |   |
|--|---|
| in the floor   |   |
| wherein the fuel chamber portion is oriented to hold fuel, and | The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for burning with a torch.  STEP4  Put the wood chips. |
| wherein the  | The conduit portion of the Cocktail Smoker is oriented below the floor of the fuel chamber.   |
| conduit  |   |
| portion is   |   |
| disposed   |   |
| below the  |   |
| floor  |   |









Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 77 TrendySupplyStore, Seller ID A3H1L5RQTOYDUF, ASIN B0B8DW7XBJ

The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.














and comprises a channel through the conduit portion

The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.



Channel

so that,
when the
fuel in the
fuel
chamber
portion is
ignited, the
channel
facilitates
flow of
smoke
downward
from the
fuel


chamber

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



Aperture

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the portion through at ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the least one drinking glass. aperture that extends from the channel space through a wall of the conduit portion ADD SMOKE WOOD CHIPS TO THE SMOKER **3** PUT ON THE LID AND WAIT FOR 10-15 SECONDS 2 BURN THE WOOD CHIPS WITH THE TORCH Ignite the wood Place wood chips chips with a torch and create smoke fuel into chamber




## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 79 SLOW LIVING, Seller ID A2XFVTJV62TO26, ASIN B0CTFQV1N3


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.














least one aperture that extends from the channel space through a wall of the conduit portion

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into

the drinking glass.



Ignite the wood chips with a torch and create smoke

Place wood chips fuel into chamber

Smoke flows down, not up, through the channel in the conduit and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 83 Oxmok-US, Seller ID A1S7BWF1QD0MUX, ASIN B0CB6VXNGV


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.














The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the aperture ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into that the drinking glass. extends from the channel space through a wall of the conduit portion Drop a pinch of wood chips into the filter screen. Hold the torch 2 inches above the chips and burn for 10-20 seconds. lace the smoker lid on the chambe or 30-60 seconds then enjoy! Smoke flows down, Place wood chips Ignite the wood not up, through the fuel into chamber chips with a torch channel in the conduit and create smoke and out at least one aperture in the conduit


## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 84 Umail, Seller ID A1IJILQ0GS7UKF, ASIN B0BP9PCWZF


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.












and comprises a channel through the conduit portion The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 87 CharmBoxLabs, Seller ID AU6RG2N666QX5, ASIN B0CVRW7599


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.


















#### Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 88 cocktail smoker kit, Seller ID A3DGZ3TNHQ9UY9, ASIN B0C289W8X7


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.

















### Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 89 OWAYIDA, Seller ID A1ET80676X8NAP, ASIN B09PL4LF47


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













and comprises a channel through the conduit portion The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




### Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 90 ANC Products, LLC, Seller ID AAE37CVWZIC2Z, ASIN B09LXT61H8


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













and comprises a channel through the conduit portion The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




# Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 91 DUEBEL-Handcrafts, Seller ID A2P1QWAVNEE33L, ASIN B0B4DF2PP9


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:






## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 92 LUXIAMO, Seller ID ASF0THC0HXOQF, ASIN B0CSG6TYNK


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.

<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:






## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 93 JEKOSEN, Seller ID A1IA9A4135UCKV, ASIN B0CNYVVMJ


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.



so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:






## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 94 Caretology, Seller ID A1FX4AJXRCAPVX, ASIN B09TZJJY1Q


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.


















## Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 95 MogRiv, Seller ID A15YZ4KRC8N14P, ASIN B0CRWN8BK9


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.













The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:





# Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 97 Future Charm-US, Seller ID A1UOIQJDMTVAPO, ASIN B0C6QMQ2NF

The primary elements of claim 1 (copied fully below in the left column of the chart) are:

**Fuel Chamber Portion** 

**Conduit Portion** 


Floor


Channel


Aperture extends from channel through a wall of Conduit Portion

There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.









the fuel The fuel chamber for the Cocktail Smoker has a wall. The wall defines a perimeter of the fuel chamber portion. The fuel chamber for the Drink Smoker has a floor of the fuel chamber portion that extends from the wall to an opening in the chamber portion floor. comprising floor an upper wall portion defining a perimeter edge of the fuel chamber portion and a floor defining a bottom end, the floor extending from the upper wall upper wall **Opening** portion to an opening in the floor wherein the The fuel chamber of the Cocktail Smoker is oriented to hold wood chips for burning. In the instructions on the storefront page, the seller shows the consumer how to place the device on a glass and add wood chips in the fuel chamber for fuel chamber burning with a torch. portion is oriented to hold fuel, and







so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one aperture

that

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.

extends from the Ignite the channel Place wood wood chips space chips through a with fuel into wall of the a torch and chamber conduit create smoke portion **Smoke flows** down, not up, through the channel in the conduit and out at least one aperture in Smoke it for an appropriate Put a proper amount of Light the wood chips the conduit wood chips inthe iron mesh a few seconds timeaccording to the taste of the solid wood tray


# Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 98 Zaspaver, Seller ID ADKGMWP3CE9MJ, ASIN B0D3PPKN4B


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.












The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore. and comprises a channel through the conduit portion Channel The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel: so that, when the fuel in the 1.38inch/3.5cm fuel chamber portion is **Aperture** ignited, the channel facilitates flow of smoke downward from the fuel chamber portion The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the through at ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into least one the drinking glass. aperture




# Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 98 Zaspaver, Seller ID ADKGMWP3CE9MJ, ASIN B0D3PJ1G11


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.












The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore. and comprises a channel through the conduit portion Channel The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel: so that, when the fuel in the 1.38inch/3.5cm fuel chamber portion is **Aperture** ignited, the channel facilitates flow of smoke downward from the fuel chamber portion The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the through at ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into least one the drinking glass. aperture




# Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 99 JoannaTateMonograms, ETSY Product ID 1384323003


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











and comprises a channel through the conduit portion

The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.



Channel

so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



**Aperture** 

The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.




#### Exemplary Chart for U.S. Patent No. 11,744,256<sup>1</sup> for Defendant No. 101 Charmboxgift, ETSY Product ID 1717396430


The primary elements of claim 1 (copied fully below in the left column of the chart) are:


- Fuel Chamber Portion
- Conduit Portion
- Floor
- Channel
- Aperture extends from channel through a wall of Conduit Portion


There are no limitations in the claims for the size, shape, or orientation of the fuel chamber portion, conduit portion, wall in conduit portion, or aperture through a wall of the conduit portion, except that the conduit portion is disposed below the floor.


<sup>&</sup>lt;sup>1</sup> Plaintiff provides this exemplary claim chart for the purposes of showing one basis of infringement of one of the claims of the 11,744,256 patent by Defendant's accused products as defined in the complaint. This exemplary claim chart addresses the Accused Products broadly based on the fact that the Accused Products infringe in the same general way. Plaintiff reserves the right to amend and fully provide its infringement arguments and evidence thereof until its Preliminary and Final Infringement Contentions are later produced according to the court's scheduling order in this case.











and comprises a channel through the conduit portion The channel through the conduit of the Cocktail Smoker is shown on the seller's webstore.




Channel

so that, when the fuel in the fuel chamber portion is ignited, the channel facilitates flow of smoke downward from the fuel chamber portion through at least one

aperture

The conduit portion of the Cocktail Smoker has at least one hole, or aperture, in its wall that leads to the channel:



The instructions demonstrate that when the fuel in the fuel chamber is ignited by a blow torch, the smoke from the ignited fuel flows down from the fuel chamber, through the channel, and out at least one aperture in the conduit into the drinking glass.

